

SECTION 1: IDENTIFICATION

Product identifier

| | |
|-----------------------------|--|
| Product Name | HUSKY 1220 GLASS CLEANER |
| Authorization number | 1220 |
| Recommended Use | Glass cleaner |
| Uses advised against | Restrictions on use: Do not use in any fashion not specified on the product label. |

Manufacturer/Supplier

Canberra Corporation
 3610 N. Holland-Sylvania Rd.
 Toledo Ohio 43615
 United States

Telephone: +1 (419) 841-6616
 Website: <http://canberracorp.com/>

e-Mail (competent person) regulatorycompliance@canberracorp.com

Emergency telephone number 800-424-9300

National poison center 800-222-1222

SECTION 2: HAZARD(S) IDENTIFICATION

Classification acc. to GHS

Gases under pressure. H280.

Label elements

Signal word Warning

Pictograms



Hazard statements

Contains gas under pressure; may explode if heated.

Precautionary statements

Protect from sunlight. Store in a well-ventilated place.

Other hazards

of no significance

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Name of substance | Identifier | Wt% |
|-------------------|--------------------|----------|
| Ethanol | CAS No 64-17-5 | 5 – < 10 |
| Butoxyethanol | CAS No 111-76-2 | 5 – < 10 |
| Propane | CAS No 74-98-6 | 5 – < 10 |

| Name of substance | Identifier | Wt% |
|-------------------|--------------------|----------|
| Butane | CAS No 106-97-8 | 5 – < 10 |
| Morpholine | CAS No 110-91-8 | 1 – < 5 |

For full text of abbreviations: see SECTION 16.

SECTION 4: FIRST-AID MEASURES

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Thaw frosted parts with lukewarm water. Do not rub affected area.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

Indication of any immediate medical attention and special treatment needed

none

SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

Special hazards arising from the substance or mixture

Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

SECTION 7: HANDLING AND STORAGE**Precautions for safe handling****- Measures to prevent fire as well as aerosol and dust generation**

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

Conditions for safe storage, including any incompatibilities**Managing of associated risks****- Flammability hazards**

Protect from sunlight.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

See section 16 for a general overview.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure controls****Appropriate engineering controls**

General ventilation.

Individual protection measures (personal protective equipment)**Eye/face protection**

Wear eye/face protection.

Skin protection**- Hand protection**

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| | |
|-------------------------------------|---------------------------------|
| Physical state | Liquid (spray aerosol) |
| Color | None |
| Odor | None/Characteristic |
| pH (value) | not determined |
| Melting point/freezing point | Not determined |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | Not relevant (fluid) |
| Density | 0.97 g/cm ³ at 20 °C |
| | |

SECTION 10: STABILITY AND REACTIVITY**Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Gas under pressure.

If heated:

Danger of explosion, Gas under pressure, Danger of bursting container

Chemical stability

See below "Conditions to avoid".

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

There are no specific conditions known which have to be avoided.

Incompatible materials

Oxidizers

Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: TOXICOLOGICAL INFORMATION**Information on toxicological effects**

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)**Acute toxicity**

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin or if inhaled.

Acute toxicity estimate (ATE) of components of the mixture

| Name of substance | CAS No | Exposure route | ATE |
|-------------------|----------|-------------------|-------------|
| Butoxyethanol | 111-76-2 | oral | 1,414 mg/kg |
| Butoxyethanol | 111-76-2 | dermal | 1,100 mg/kg |
| Butoxyethanol | 111-76-2 | inhalation: vapor | 11 mg/l/4h |
| Morpholine | 110-91-8 | oral | 500 mg/kg |
| Morpholine | 110-91-8 | dermal | 1,100 mg/kg |
| Morpholine | 110-91-8 | inhalation: vapor | 11 mg/l/4h |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

| Name of substance | CAS No | Classification | Number |
|-------------------|----------|----------------|--------|
| Ethanol | 64-17-5 | 1 | |
| Butoxyethanol | 111-76-2 | 3 | |
| Morpholine | 110-91-8 | 3 | |

Legend

- 1 Carcinogenic to humans
3 Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION**Toxicity**

Shall not be classified as hazardous to the aquatic environment.

Persistence and degradability

Data are not available.

Bioaccumulative potential

Data are not available.

Mobility in soil

Data are not available.

Results of PBT and vPvB assessment

Data are not available.

Endocrine disrupting properties

None of the ingredients are listed.

Other adverse effects

Data are not available.

SECTION 13: DISPOSAL CONSIDERATIONS**Waste treatment methods****Sewage disposal-relevant information**

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: TRANSPORT INFORMATION**UN number****DOT**

UN 1950

UN proper shipping name

| | |
|-----|----------|
| DOT | Aerosols |
|-----|----------|

Transport hazard class(es)

| | |
|-----|-----|
| DOT | 2.2 |
|-----|-----|

Packing group

not assigned

Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

SECTION 15: REGULATORY INFORMATION**National regulations (United States)****Toxic Substance Control Act (TSCA)**

all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

Clean Air Act

| Name of substance | CAS No | Type of registration | Basis for listing | Threshold quantity (lbs) |
|-------------------|----------|----------------------|-------------------|--------------------------|
| Propane | 74-98-6 | Flammable substance | f | 10000 |
| Butane | 106-97-8 | Flammable substance | f | 10000 |

Legend

f Flammable gas.

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance | CAS No | Functionality | Authoritative Lists |
|-------------------|----------|---------------|--|
| Ethanol | 64-17-5 | solvents | |
| Butoxyethanol | 111-76-2 | | OEHHA RELS |
| Butane | 106-97-8 | | EC Annex VI CMRs - Cat. 1A EC Annex VI CMRs - Cat. 1B |

- Toxic or Hazardous Substance List (MA-TURA)

| Name of substance | CAS No | DEP CODE | PBT / HHS / LHS | PBT / HHS Threshold | De Minimis Concentration Threshold |
|-------------------|--------|----------|-----------------|---------------------|------------------------------------|
| Butoxyethanol | | 1022 | | | 1.0 % |

- Hazardous Substances List (MN-ERTK)

| Name of substance | CAS No | References | Remarks |
|-------------------|----------|------------|---------|
| Ethanol | 64-17-5 | A, O | |
| Butoxyethanol | 111-76-2 | A, O | skin |
| Propane | 74-98-6 | A, O | |
| Propane | | N | |
| Propane | | A | gases |
| Morpholine | 110-91-8 | A, O | skin |
| Butane | | N | |

Legend

A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH

Legend

| | |
|-------|--|
| gases | Refers to displacement of air asphyxiation hazard. |
| N | National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer |
| O | Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division |
| skin | If a potential for absorption from skin contact merits special consideration, the word "skin" follows the substance name. |

- Hazardous Substance List (NJ-RTK)

| Name of substance | CAS No | Remarks | Classifications |
|-------------------|----------|---------|----------------------|
| Ethanol | 64-17-5 | | CA MU TE F3 |
| Butoxyethanol | 111-76-2 | | CA F2 |
| Propane | 74-98-6 | | F4 |
| Morpholine | 110-91-8 | | CO F3 R1 |
| Butane | 106-97-8 | | F4 |

Legend

| | |
|----|---------------------------|
| CA | Carcinogenic |
| CO | Corrosive |
| F2 | Flammable - Second Degree |
| F3 | Flammable - Third Degree |
| F4 | Flammable - Fourth Degree |
| MU | Mutagenic |
| R1 | Reactive - First Degree |
| TE | Teratogenic |

- Hazardous Substance List (Chapter 323) (PA-RTK)

| Name acc. to inventory | CAS No | Classification |
|------------------------|----------|----------------|
| ETHANOL | 64-17-5 | |
| ETHANOL, 2-BUTOXY- | 111-76-2 | |
| PROPANE | 74-98-6 | |
| MORPHOLINE | 110-91-8 | |
| BUTANE | 106-97-8 | |

- Hazardous Substance List (RI-RTK)

| Name of substance | CAS No | References |
|-------------------|----------|------------|
| Ethanol | 64-17-5 | T, F |
| Butoxyethanol | 111-76-2 | T |
| Propane | 74-98-6 | T |
| Morpholine | 110-91-8 | T, F |
| Butane | 106-97-8 | T, F |

Legend

| | |
|---|----------------------|
| F | Flammability (NFPA®) |
| T | Toxicity (ACGIH®) |

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

| Proposition 65 List of chemicals | | | |
|----------------------------------|---------|------------------------|----------------------|
| Name acc. to inventory | CAS No | Remarks | Type of the toxicity |
| ethanol (ethyl alcohol) | 64-17-5 | in alcoholic beverages | developmental |

NPCA-HMIS® III

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | * | chronic (long-term) health effects may result from repeated overexposure |
| Health | 3 | major injury likely unless prompt action is taken and medical treatment is given |
| Flammability | 4 | material that rapidly or completely vaporizes at atmospheric pressure and normal ambient temperature or that is readily dispersed in air and burn readily |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

NFPA® 704

| Category | Degree of hazard | Description |
|----------------|------------------|---|
| Flammability | 4 | material that rapidly or completely vaporizes at atmospheric pressure and normal ambient temperature or that is readily dispersed in air and burn readily |
| Health | 3 | material that, under emergency conditions, can cause serious or permanent injury |
| Instability | 0 | material that is normally stable, even under fire conditions |
| Special hazard | | |

National inventories

| Country | Inventory | Status |
|---------|------------|----------------------------|
| EU | REACH Reg. | all ingredients are listed |
| US | TSCA | all ingredients are listed |

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION
Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|---|
| H280 | Contains gas under pressure; may explode if heated. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. Disclaimer: No representation or warranty, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, is made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present some degree of hazard and should be used with caution. The information and recommendations contained herein are presented in good faith. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, resulting from the use, reliance upon, or the misuse of this information. Furthermore, it is the direct responsibility of the user to comply with all applicable regulations governing the use and disposal of this material. .