



SAFETY DATA SHEET

1. Identification

Product Identifier	Mold & Mildew Stain Remover	
Other means of identification	PCE-1280	
Product code		
Recommended use	Stain remover.	
Recommended restrictions	Professional use only.	
Manufacturer information		
Company name	PowerClean Enterprises, LLC	
Address	1340 Home Avenue Ste. B Akron, OH 44310	
Telephone	(330) 400-4483	
Emergency phone number	PERS 24-hour Emergency	(800) 633-8253 (800) 633-8253

2. Hazard(s) Identification

Physical hazards	Oxidizing Liquids	Category 3
Health hazards	Serious eye damage Skin corrosion	Category 1 Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	None	
Label elements		



Signal word	DANGER
Hazard statement	Causes severe skin burns and eye damage. May be corrosive to metals
Precautionary statement	
Prevention	Wash hands and exposed skin thoroughly after handling. Do not breathe dust or mist. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor/medical professional. Specific treatment (see section 4 on the Safety Data Sheet). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	Store locked up. Secure away from highly combustible materials. Keep containers closed during storage. Avoid prolonged storage in strong sunlight.
Disposal	Dispose of contents/containers in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None.



SAFETY DATA SHEET

Supplemental information None.

3. Composition/information on ingredients

Mixture Components		
Chemical name	CAS number	%
Sodium hypochlorite	7681-52-9	3-5 – 4.0
Ethoxylated alcohols (C9 – C11)	68439-46-3	1 - 3
Sodium tripolyphosphate	7758-29-4	2 - 3
Non-ethoxylated surfactants	Proprietary	2 -3
Other components below reportable levels		86-90

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport them to hospital.
Ingestion	Rinse mouth. Get medical attention immediately. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Can cause serious eye damage. Can cause burning sensation in affected areas. Shortness of breath, respiratory tract irritation or damage. Sodium hydroxide is extremely destructive to tissues of the mucous membranes and upper respiratory tract, eyes, and skin.
Indication of immediate medical attention and special treatment needed	Provide widespread support measures and treat symptomatically. Keep the victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Wash contaminated clothing before reuse. Use it with extreme caution.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed. The product contains a dilute fraction of hypochlorite bleach which could accelerate combustion under certain conditions
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted aside from the diluent fraction of hypochlorite bleach described above.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures	Keep unnecessary personnel away. Keep people away from upwind spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mist. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local
---	--



SAFETY DATA SHEET

Methods and materials for containment and cleaning up

authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

This product is miscible in water.

Large spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g., cloth, absorbent wipes). Clean surface thoroughly with detergent and water to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into surface drainage paths and other areas not consistent with package labeling. **Do not use with strong acids**

7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Sodium hydroxide	PEL	2 mg/m ³

US ACGIH Threshold Limit Values

Components	Type	Value
Sodium hydroxide	STEL	2 mg/m ³

Biological limit values

No information.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

The use of gloves impervious to the specific material managed is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Suggested protective materials: Nitrile and PVC rubber.

Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.



SAFETY DATA SHEET

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after managing the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical State Clear to cloudy liquid.

Color Light amber.

Odor Chlorine

Odor threshold Not available.

pH 11-12

Melting/freezing point 20°F(-7°C)

Initial boiling point and boiling range <230°F(<110°C)

Flash point Not available.

Evaporation rate Not available.

Flammability Not available.

Flammability Limits

Upper Not available.

Lower Not available.

Vapor pressure Not available

Vapor density Not available.

Specific gravity (water=1) 1.09

Solubility in water Soluble.

Partition coefficient Not relevant.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

10. Stability and reactivity

Reactivity Reacts violently with strong acids. This product may react with oxidizing agents.

Chemical stability Material is stable under normal conditions. Store in a cool dark place.

Possibility of hazardous reactions Reacts violently with strong acids. This product may react with oxidizing agents. Hazardous polymerization does not occur.

Conditions to avoid Avoid storage in elevated temperatures. Keep away from heat, sparks, and open flame. Do not mix with other chemicals.

Incompatible materials Acids, oxidizing agents, bases, alkalis (organic)

Hazardous decomposition products Chlorine, hydrogen chloride. In case of fire see section 5.

11. Toxicological information

Information on routes of exposure

Ingestion Do not ingest. Causes digestive tract burns.



SAFETY DATA SHEET

Inhalation	Prolonged inhalation may be harmful. May cause irritation to the respiratory system.
Skin contact	Can cause severe skin burns.
Eye contact	Can cause serious eye damage.
Symptoms related to the physical, chemical, and toxicological characteristics	Burning sensation, coughing, wheezing, and shortness of breath. Sodium hydroxide is extremely destructive to mucous membranes, eyes, and skin.
Acute toxicity	Not classified.

Product Mold & Mildew Stain Remover (CAS mixture)		
Exposure Classification	Route and Species	LD50
Acute	Oral, rat	>5,000 mg/kg (estimated)
Acute	Dermal -Rat	>6,320 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation	Can cause severe skin burns.
Serious eye damage/ irritation	Can cause serious eye damage.
Respiratory sensitization	Not considered a respiratory sensitizer.
Skin sensitization	Not considered a skin sensitizer.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not considered a carcinogen.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not Listed.
Reproductive toxicity	No data available.
Specific target organ toxicity – single exposure	No data available.
Specific target organ toxicity – repeated exposure	No data available.
Aspiration hazard	No data available.

12. Ecological information

Ecotoxicity		
Product - Mold & Mildew Stain Remover (CAS mixture)		
Aquatic Receptor	Species	Test Results
Fish	Pimephales (fathead minnow)	LC ₅₀ = 10.5 mg/L estimated
Crustacea	Daphnia Magna (Water flea)	EC ₅₀ = >5.0 mg/L estimated
Un-specified algal	Natori Spines	EC ₅₀ = >48.0 mg/L estimated
*Estimates for product may be based on additional component data not shown		

Persistence and degradability	No data available.
Bio-accumulative potential	Accumulation in aquatic organisms is expected.
Partition coefficient n-octanol/water (log K_{ow})	Not available.
Mobility in soil	No data available. Chemicals of these classes are highly water soluble and will partition readily to water and weakly to particles in low-clay soil matrices. They are expected to exhibit moderate to high mobility in saturated and semi-saturated soils
Other adverse effects	Very toxic to aquatic life with long lasting effects. No other adverse environmental effects known (i.e., ozone depleting substance, tropospheric ozone precursor, greenhouse gas emission, endocrine disruptor, or other deleterious environmental effect)



SAFETY DATA SHEET

13. Disposal considerations

Disposal instructions	Collect and reclaim, or dispose, of un-used products in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with applicable local/regional and national solid waste regulations. As packaged, this product is not believed to warrant application of an EPA characteristic waste code (40 CFR Part 261)
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer, and the waste disposal company.
Waste from residues/unused product	Dispose of it in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (See: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

USDOT

UN number	UN1760
UN proper shipping name	Corrosive Liquids, n.o.s. (Contains: Sodium Hypochlorite)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packaging group	III
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not intended to be transported in bulk.
DOT Label/Placard	



15. Regulatory information

US Federal regulations

SARA 302 Extremely hazardous substance	Not listed.
SARA 304 Emergency release notification	Not listed.
SARA 311/312 Hazard Categories	
Immediate Hazard - Yes	
Delayed Hazard - No	
Fire Hazard - No	
Reactivity Hazard - No	
SARA 313 (TRI reporting)	Not listed.



SAFETY DATA SHEET

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (3/2023)

16. Other information, including date of preparation or last revision

Issue date 4/19/2023
Revision date
Version # 1
HMIS® ratings Health: 2
Flammability: 0
Physical hazard: 1

HEALTH	2
FLAMMABILITY	0
REACTIVITY	1
PERSONAL PROTECTION	

NFPA ratings

Health: 2
Flammability: 0
Instability: 1



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge and has been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

First issue.