



# HUSKY® 824 QUICK CARE DISINFECTANT

## SPECIFICATIONS:

|               |                             |
|---------------|-----------------------------|
| Registrations | EPA Registered Disinfectant |
| EPA Reg. No.  | 6836-348-8155               |
| Dilution      | 1:128                       |
| pH Level      | 11 - 12.5                   |
| Color         | Light Green                 |
| Fragrance     | Clean                       |

Effective against  
**2019 SARS-COV-2  
(COVID 19 VIRUS)**  
on hard non-porous  
surfaces in just  
**60 SECONDS!**



A concentrated four-in-one disinfectant that cleans, disinfects, deodorizes and sanitizes a wide range of surfaces. This alkaline pH product is effective at killing a wide range of bacteria and viruses in 3 minutes or less (Influenza Type A in 1 minute and Norovirus in 5 minutes). Effective at killing odor causing bacteria and able to sanitize soft surfaces such as drapes, furniture cushions and more.

## FORMULA FEATURES:

- Cleans and Disinfects in One Step
- Soft Surface Sanitizing in 5 Minutes
- Hard Surface Non-Food Contact Sanitizer in **15 Seconds**
- Inhibits Growth of Mold and Mildew on Hard, Non-Porous Surfaces
- Kills Many Viruses and Bacteria in 3 Minutes or Less
- Broad Spectrum Disinfectant

## RECOMMENDED FOR:

### Hard Surfaces Such As:

- Bathroom Fixtures
- Cabinets
- Desks and Chairs
- Bed Frames and Gurneys
- Examining Tables
- Wheel Chairs
- Foot Spas
- Garbage Cans
- Shower Stalls
- Floors
- Cages and Kennel Runs
- Coils and Drain Pans
- Plastic, Vinyl and Laminated Surfaces

### Soft Surfaces Such As:

- Upholstery
- Sofas, Chairs and Couches
- Cushions and Pillows
- Fabric Window Treatments
- Gym, Laundry or Diaper Bags
- Dog Bedding and Blankets
- Car Seats, Stuffed Animals & Toys

**DIRECTIONS:**

Add 1 - 2 oz. per gallon of water. For heavy duty use, add 4 oz. per gallon to kill Norovirus, Enterobacter aerogenes, Serratia marcescens, and Enterovirus D68. Spray solution 6-8 inches from hard, nonporous surfaces, thoroughly wetting surfaces. Treated surfaces must remain visibly wet for 3 minutes. Do not breathe spray.

For disinfection against Norovirus, treated surfaces must remain visibly wet for 5 minutes.

For disinfection against Adenovirus Type 5 and Adenovirus Type 7, treated surfaces must remain visibly wet for 10 minutes.

Wipe dry with a cloth, sponge or mop or allow to air dry. For visibly soiled areas, a preliminary cleaning is required.

**1 MINUTE CONTACT TIME VIRUSES:**

- \*HIV-1 [AIDS Virus]
- \*Influenza Type A / Hong Kong [Influenza]
- \*SARS-Related-Coronavirus 2 [SARS-CoV-2]

**3 MINUTE CONTACT TIME BACTERIA:**

- Pseudomonas aeruginosa [Pseudomonas]
- Salmonella enterica [Salmonella]
- Staphylococcus aureus [Staph]
- Acinetobacter baumannii [Acinetobacter]
- Bordetella bronchiseptica [Kennel cough]
- Bordetella pertussis [whooping cough]
- Campylobacter jejuni [Campylobacter]
- Enterobacter aerogenes at 1:64 dilution [2 oz. per gallon of water]
- Enterococcus faecalis [Enterococcus]
- Enterococcus faecalis - Vancomycin resistant [VRE]
- ESBL Escherichia coli [Extended spectrum beta-lactamase producing E. coli]
- Escherichia coli [E. coli]
- Escherichia coli O157:H7
- Klebsiella pneumoniae [Klebsiella]
- Klebsiella pneumoniae, Carbapenem-resistant
- Listeria monocytogenes
- Serratia marcescens at 1:64 dilution [2 oz. per gallon of water]
- Shigella dysenteriae [Shigella]
- Shigella flexneri serotype 1B
- Shigella sonnei
- Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] (NRS384) (USA300)
- Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] (NRS123) (USA400)
- Staphylococcus aureus - Methicillin-Resistant [MRSA]
- Staphylococcus aureus - Multi-Drug Resistant
- Staphylococcus aureus - Vancomycin Intermediate Resistant – [VISA]
- Streptococcus pyogenes [Strep] [a cause of scarlet fever]
- Vibrio cholerae
- Yersinia enterocolitica

**3 MINUTE CONTACT TIME VIRUSES:**

- \*Hepatitis B Virus [HBV]
- \*Hepatitis C Virus [HCV]
- \*Herpes Simplex Virus Type 1
- \*Herpes Simplex Virus Type 2
- \*Human Coronavirus
- \*Respiratory Syncytial Virus [RSV]
- \*Rotavirus
- \*Vaccinia
- \*Canine Distemper Virus
- \*Newcastle's Disease Virus

**3 MINUTE CONTACT TIME FUNGI:**

- Candida albicans
- Trichophyton interdigitale [the Athlete's Foot Fungus] [A cause of Ringworm]

**5 MINUTE CONTACT TIME VIRUSES:**

- \*Enterovirus D68 – at 1:64 dilution [2 oz. per gallon of water]
- \*Norwalk Virus [Norovirus] – at 1:64 dilution [2 oz. per gallon of water]
- \*Feline Calicivirus at 1:64 dilution [2 oz. per gallon of water]

**5 MINUTE SOFT SURFACE SANITIZER:**

- Enterobacter aerogenes
- Staphylococcus aureus

**10 MINUTE CONTACT TIME BACTERIA:**

- Legionella pneumophila

**10 MINUTE CONTACT TIME VIRUSES:**

- \*Adenovirus Type 5 [Adenovirus] at 4 oz. per gallon
- \*Adenovirus Type 7 [Adenovirus] at 4 oz. per gallon
- \*SARS Associated Coronavirus [SARS] [cause of Severe Acute Respiratory Syndrome]