

### SECTION 1: IDENTIFICATION

**Product identifier**

<b>Product Name</b>	<b>HUSKY 1255 FOAMING OVEN &amp; GRILL CLEANER</b>
<b>Authorization number</b>	BTM-1255-67
<b>Recommended Use</b>	Oven and grill surface cleaner
<b>Uses advised against</b>	Restrictions on use: Do not use in any fashion not specified on the product label.

**Manufacturer/Supplier**

Canberra Corporation  
 3610 N. Holland-Sylvania Rd.  
 Toledo Ohio 43615  
 United States

Telephone: +1 (419) 841-6616  
 Website: <http://canberracorp.com/>

e-Mail (competent person) regulatorycompliance@canberracorp.com

**Emergency telephone number** 800-424-9300

**National poison center** 800-222-1222

### SECTION 2: HAZARD(S) IDENTIFICATION

**Classification acc. to GHS**

Skin corrosion/irritation.	H314.
Serious eye damage/eye irritation.	H318.
Gases under pressure.	H280.

**Label elements**

**Signal word** Danger

**Pictograms**



**Hazard statements**

Contains gas under pressure; may explode if heated.  
 Causes severe skin burns and eye damage.

**Precautionary statements**

Do not breathe dusts or mists.  
 Wear eye protection/face protection.  
 If swallowed: Rinse mouth. Do NOT induce vomiting.  
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 Immediately call a poison center/doctor.  
 Dispose of contents/container to industrial combustion plant.

Hazardous ingredients for labelling Sodium Hydroxide

**Other hazards**

of no significance

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Name of substance	Identifier	Wt%
Sodium Hydroxide	CAS No 1310-73-2	10 – < 25
Butoxydiglycol	CAS No 112-34-5	5 – < 10
Propane	CAS No 74-98-6	5 – < 10
Butane	CAS No 106-97-8	5 – < 10

For full text of abbreviations: see SECTION 16.

**SECTION 4: FIRST-AID MEASURES****Following inhalation**

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

**Following skin contact**

Thaw frosted parts with lukewarm water. Do not rub affected area.

**Following eye contact**

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

**Following ingestion**

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

**Indication of any immediate medical attention and special treatment needed**

none

**SECTION 5: FIRE-FIGHTING MEASURES****Suitable extinguishing media**

Water spray, BC-powder

**Unsuitable extinguishing media**

Water jet

**Special hazards arising from the substance or mixture**

Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.

**Hazardous combustion products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

**Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Flammability hazards

Protect from sunlight.

### Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

See section 16 for a general overview.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection

Wear eye/face protection.

##### Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

##### Respiratory protection

During spraying wear suitable respiratory equipment.

**Environmental exposure controls**

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical state</b>	Aerosol (spray aerosol)
<b>Color</b>	Not determined
<b>Odor</b>	Characteristic
<b>pH (value)</b>	not determined
<b>Melting point/freezing point</b>	Not determined
<b>Evaporation rate</b>	Not determined
<b>Flammability (solid, gas)</b>	
<b>Density</b>	Not determined
<b>Relative density</b>	Information on this property is not available

**SECTION 10: STABILITY AND REACTIVITY****Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Gas under pressure.

If heated:

Danger of explosion, Gas under pressure, Danger of bursting container

**Chemical stability**

See below "Conditions to avoid".

**Possibility of hazardous reactions**

No known hazardous reactions.

**Conditions to avoid**

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

Protect from sunlight.

**Incompatible materials**

Oxidizers

**Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on toxicological effects

Test data are not available for the complete mixture.

### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: ECOLOGICAL INFORMATION

### Toxicity

Shall not be classified as hazardous to the aquatic environment.

### Persistence and degradability

Data are not available.

### Bioaccumulative potential

Data are not available.

### Mobility in soil

Data are not available.

### Results of PBT and vPvB assessment

Data are not available.

### Endocrine disrupting properties

None of the ingredients are listed.

### Other adverse effects

Data are not available.

**SECTION 13: DISPOSAL CONSIDERATIONS****Waste treatment methods****Sewage disposal-relevant information**

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

**Waste treatment of containers/packages**

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

**Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

**SECTION 14: TRANSPORT INFORMATION****UN number****DOT**

UN 1950

**UN proper shipping name**

DOT	AEROSOLS
-----	----------

**Transport hazard class(es)**

DOT	2.1 (8)
-----	---------

**Packing group**

not assigned

**Environmental hazards**

non-environmentally hazardous acc. to the dangerous goods regulations

**SECTION 15: REGULATORY INFORMATION****National regulations (United States)****Toxic Substance Control Act (TSCA)**

all ingredients are listed

**Superfund Amendment and Reauthorization Act (SARA TITLE III )**

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

**Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)**

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
Sodium Hydroxide	1310-73-2		1	1000 (454)

**Legend**

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

**Clean Air Act**

Name of substance	CAS No	Type of registration	Basis for listing	Threshold quantity (lbs)
Propane	74-98-6	Flammable substance	f	10000
Butane	106-97-8	Flammable substance	f	10000

Legend

f Flammable gas.

**Right to Know Hazardous Substance List****- Cleaning Product Right to Know Act Substance List (CA-RTK)**

Name of substance	CAS No	Functionality	Authoritative Lists
Sodium Hydroxide	1310-73-2		OEHHA RELS
Butoxydiglycol			CA TACs
Butane	106-97-8		EC Annex VI CMRs - Cat. 1A EC Annex VI CMRs - Cat. 1B

**- Toxic or Hazardous Substance List (MA-TURA)**

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
Sodium Hydroxide	1310-73-2				1.0 %
Butoxydiglycol		1022			1.0 %

**- Hazardous Substances List (MN-ERTK)**

Name of substance	CAS No	References	Remarks
Sodium Hydroxide	1310-73-2	A, N, O	
Propane	74-98-6	A, O	
Propane		N	
Propane		A	gases
Butane		N	

Legend

A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH

gases Refers to displacement of air asphyxiation hazard.

N National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer

O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

**- Hazardous Substance List (NJ-RTK)**

Name of substance	CAS No	Remarks	Classifications
Sodium Hydroxide	1310-73-2		CO R1
Butoxydiglycol			
Propane	74-98-6		F4
Butane	106-97-8		F4

Legend

CO Corrosive

Legend

F4 Flammable - Fourth Degree  
R1 Reactive - First Degree

**- Hazardous Substance List (Chapter 323) (PA-RTK)**

Name acc. to inventory	CAS No	Classification
SODIUM HYDROXIDE (NA(OH))	1310-73-2	E
GLYCOL ETHERS		E
PROPANE	74-98-6	
BUTANE	106-97-8	

Legend

E Environmental hazard

**- Hazardous Substance List (RI-RTK)**

Name of substance	CAS No	References
Sodium Hydroxide	1310-73-2	T, F
Propane	74-98-6	T
Butane	106-97-8	T, F

Legend

F Flammability (NFPA®)  
T Toxicity (ACGIH®)

**California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987**

none of the ingredients are listed

**NPCA-HMIS® III**

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

**NFPA® 704**

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		



**National inventories**

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed

**Legend**

REACH Reg. REACH registered substances  
TSCA Toxic Substance Control Act

**SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION****Key literature references and sources for data**

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

**Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**List of relevant phrases (code and full text as stated in section 2 and 3)**

Code	Text
H280	Contains gas under pressure; may explode if heated.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

**Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. Disclaimer: No representation or warranty, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, is made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present some degree of hazard and should be used with caution. The information and recommendations contained herein are presented in good faith. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, resulting from the use, reliance upon, or the misuse of this information. Furthermore, it is the direct responsibility of the user to comply with all applicable regulations governing the use and disposal of this material. .